## **PCT**



# WORLD INTELLECTUAL PROPERTY ORGAN International Bureau



(CY)

#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PC

(51) International Patent Classification 6:

(11) International Publication Number:

WO 97/28797

A61K 31/41, 31/44, 31/47, 31/405

A1 |

(43) International Publication Date:

14 August 1997 (14.08.97)

(21) International Application Number:

PCT/US97/01799

(22) International Filing Date:

4 February 1997 (04.02.97)

(30) Priority Data:

60/011,328 9608927.1 8 February 1996 (08.02.96) US

29 April 1996 (29.04.96)

GB

(71) Applicant (for all designated States except US): MERCK & CO., INC. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): DAHLEN, Sven-Erik [SE/SE]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US). SCOLNICK, Edward, M. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065 (US).
- (74) Common Representative: MERCK & CO., INC.; 126 East Lincoln Avenue, Rahway, NJ 07065 (US).

(81) Designated States: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, IL, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

**Published** 

With international search report.

(54) Title: METHOD OF TREATMENT AND PHARMACEUTICAL COMPOSION

(57) Abstract

A method of treating asthma, allergy and inflammation comprises treatment with a leukotriene inhibitor and loratadine either concurrently in separate doses or combined in a single pharmaceutical formulation.

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	СВ	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Јарал	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic	SD	Sudan
CF	Central African Republic		of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhsten	81	Slovenia
CI	Côte d'Ivoire	u	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
cs	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	Germany	LV	Larvia	TJ	Tajikistan
DK	Denmark	MC	Monaco	TT	Trinidad and Tobago
EE	Estonia	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	UG	Uganda
FI	Finland	ML	Mali	US	United States of America
FR	France	MN	Mongolia	UZ	Uzbekistan
GA	Gabon	MR	Mauritania	VN	Viet Nam

#### CROSS REFERENCE TO RELATED APPLICATION

This application is based on, and claims priority from, provisional application number 60/011,328 filed February 8, 1996.

5

15

25

30

# TITLE OF THE INVENTION METHOD OF TREATMENT AND PHARMACEUTICAL COMPOSITION

#### 10 BACKGROUND OF THE INVENTION

Loratadine is an antihistamine with H-receptor antagonist properties useful in the treatment of allergies and is described in U.S. Patent 4,282,233.

Leukotriene antagonists are known to be useful in the treatment of asthma, allergic reactions, and inflammation.

Now with the present invention, there is provided a method of treating asthma, allergy and inflammation with a combination of these two agents which is more efficacious than either agent by itself.

#### 20 SUMMARY OF THE INVENTION

This invention is concerned with a method of treatment of asthma, allergy and inflammation by administration of an effective amount of loratadine and an effective amount of a leukotriene antagonist either by essentially concurrent administration or combined in a single pharmaceutical composition wherein the leukotriene antagonist is selected from:

A. Sodium 1-(((R)-(3-(2-(7-chloro-2-quinolinyl)ethenyl)phenyl)-3-(2-(2-hydroxy-2-propyl)phenyl)thio)methyl)cyclopropaneacetate, EP 480,717

#### Montelukast Sodium

B. Sodium 1-(((R)-(3-(2-(6,7-difluoro-2-quinolinyl)ethenyl)-phenyl)-3-(2-(2-hydroxy-2-propyl)phenyl)thio)methyl)cyclopropaneacetate. U.S. 5,270,324

5

C. 1-(((1(R)-(3-(2-(2,3-dichlorothieno[3,2-b]pyridin-5-yl)-(E)-ethenyl)phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)-propyl)thio)methyl)cyclopropaneacetic acid or sodium salt thereof. U.S. 5,472,964

D. N-[4-oxo-2-(1H-tetrazol-5-yl)-4H-1-benzopyran-8-yl]-p-(4-phenylbutoxy)benzamide. EP 173,516

$$(CH_2)_4-O$$

$$O$$

$$NH$$

$$HN_N^N$$

## **Pranlukast**

E. Cyclopentyl-3-[2-methoxy-4-[(o-tolylsulfonyl)carbamoyl]-benzyl]-1-methylindole-5-carbamate. EP 199,543

10

Zafirlukast

#### **DETAILED DESCRIPTION OF THE INVENTION**

The novel pharmaceutical composition of this invention comprises a combination of loratadine and a leukotriene antagonist selected from A, B, C, D and E, described above, as active ingredients, and optionally a pharmaeutically acceptable carrier suitable for enteral or parenteral administration. The formulations may be in solid form, as for example tablets and capsules, or in liquid form, as for example, syrups, elixirs, emulsions and injectables. In the formulation of pharmaceutical dosage forms there generally is utilized excipients such as water, gelatin, lactose starches, magnesium stearate, talc, vegetable oils, benzyl alcohol, gums, polyalkylene glycols, and petroleum jelly. A preferred formulation is mere fully described in the following Example.

In the novel method of treatment of this invention, the loratadine and leukotriene antagonist can be administered substantially concurrently as separate dosage forms or combined in the novel pharmaceutical formulation of this invention.

Although the required dosage will be determined by such factors as the patients age, sex, weight and severity of the condition being treated, the preferred human oral dosage range is about 5 to 20 mg., loratedine, 1 to 3 times per day; preferably about 10 mg. once a day. In the case of the leukotrienes, the human dosage range is also about 5 to 20 mg 1 to 3 times per day; preferably about 10 mg. once a day.

5

10

15

- 5 -

EXAMPLE

Montelukast Sodium 10 mg and Loratadine 10 mg Film Coated Tablet

Amt. Per Tablet	Ingredient
Core	>
10.4 mg	Montelukast Sodium
10.0 mg	Loratadine
66.6 mg	Microcrystalline Cellulose, NF
100.0 mg	Lactose Monohydrate, NF
6.0 mg	Croscarmellose Sodium, NF
(60.0  mg)	Purified Water, USP
1.0 mg	Magnesium Stearate, NF
200.0 mg	Core Tablet
Film Coating	
2.25 mg	Hydroxypropyl Methylcellulose 6 cps
1.25 mg	Hydroxypropyl Cellulose LF
1.50 mg	Titanium Dioxide
(33.5) mg	Purified Water
205.0 mg	Film Coated Tablet

### WHAT IS CLAIMED IS:

- 1. A pharmaceutical formulation comprising as active ingredients loratedine and a leukotriene antagonist selected from
- 5 (A) montelukast sodium;
  - (B) Sodium 1-(((R)-(3-(2-(6,7-difluoro-2-quinolinyl) ethenyl)phenyl)
    -3-(2-(2-hydroxy-2-propyl)phenyl)
    thio)methylcyclopropaneacetate;
- (C) 1-(((1(R)-(3-(2-(2,3-dichlorothieno[3,2-b]pyridin-5-yl)-(E)ethenyl)phenyl)-3-(2-(1-hydroxy-1-methylethyl)phenyl)propyl) thio)methyl)cyclopropaneacetic acid or a sodium salt thereof;
  - (D) pranlukast; and
  - (E) zafirlukast; and a pharmaceutically acceptable carrier.

15

- 2. The composition of Claim 1 which is designed for oral administration.
- 3. The composition of Claim 2 comprising 10 mg of loratadine and 10 mg of a leukotriene antagonist selected from (A), (B), (C), (D) and (E).
  - 4. The composition of Claim 1, wherein the leukotriene antagonist is montelukast sodium.

- 5. The composition of Claim 4 which is designed for oral administration.
- 6. The composition of Claim 5, comprising 10 mg of each active ingredient.
  - 7. A method of treating asthma, allergy and inflammation in a patient in need of such treatment by the administration

5

25

of an effective amount of loratadine and an effective amount of a leukotriene antagonist selected from:

- (A) montelukast sodium;
- (B) sodium 1-(((R)-(3-(2-(6,7-difluror-2-quinolinyl)ethenyl)phenyl)-3-(2-(2-hydroxy-2-propyl)phenyl)thio)methyl)cyclopropaneactate;
- (C) 1-(((1(R)-(3-(2-(2,3-dichlorothieno[3,2-b]pyridin-5-yl)-(E)-ethenyl)phenyl)-3-(2-(1-hydroxy-1-methylethyl)-phenyl)propyl)thio)methyl)cyclopropaneacetic acid or a sodium salt thereof;
- 10 (D) pranlukast; and
  - (E) zafirlukast; either substantially concurrently in separate dosage forms or combined in the single pharmaceutical formulation of Claim 1.
- 15 8. The method of Claim 7, wherein the pharmaceutical formulation is designed for oral administration.
- 9. The method of Claim 7 wherein the separate dosage forms and the single pharmaceutical formulation comprise 10 mg of loratadine and 10 mg of a leukotriene antagonist selected from (A), (B), (C), (D) and (E).
  - 10. The method of Claim 7 wherein the leukotriene antagonist is (A) montelukast sodium.
  - 11. The method of Claim 10 wherein the separate dosage forms and single pharmaceutical formulation are designed for oral administration.
- 30 12. The method of Claim 11 wherein the separate dosage forms and the single pharmaceutical formulation comprise 10 mg of loratadine and 10 mg of (A), montelukast sodium.

# INTERNATIONAL SEARCH REPORT

Form PCT/ISA/210 (second sheet)(July 1992)\*

International application No. PCT/US97/01799

		<u>-</u>			
A. CL IPC(6)	ASSIFICATION OF SUBJECT MATTER				
US CL	:A61K 31/41, 31/44, 31/47, 31/405 :514/301, 311, 382, 415				
According	to International Patent Classification (IPC) or to be	oth national classification and IF	PC .		
B. FIE	ELDS SEARCHED				
Minimum	documentation searched (classification system follow	wed by classification symbols)			
U.S. :	514/301, 311, 382, 415				
Document	ation searched other than minimum documentation to	the extent that such documents a	re included in the fields searched		
Electronic	data base consulted during the international search	(name of data base and, where	practicable, scarch terms used)		
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where	appropriate, of the relevant pas	sages Relevant to claim No.		
Υ	US 4,282,233 A (VILANI) 04 At lines 13-19 and column 3, lines !	ugust 1981, see colu 5-12.	ımn 2, 1-12		
Y	US 4,847,275 A (TODA et al.) 1 lines 3-6, column 6, lines 58-64, columns 101-102 Example No. 1	column 90, lines 15-2	mn 5, 1-12 5 and		
Y	US 5,030,643 A (BERNSTEIN e column 5, lines 55-65 and column	et al.) 09 July 1991 n 19, lines 45-50.	, see 1-12		
Y	US 5,270,324 A (ZAMBONI et al column 6, lines 55-60, column 13 line 57 - column 69, line 12.	.) 14 December 1993 3, lines 10-12, colum	3, see 1-12 in 68,		
		,			
	er documents are listed in the continuation of Box (	See patent family	annex.		
•	cial categories of cited documents: ument defining the general state of the art which is not considered		after the international filing date or priority in the application but cited to understand the		
10 5	e or particular relevance	branchic or menty united	ying the invention		
E' earlier document published on or after the international filing date  "X"  document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone					
CLEOC	I to establish the publication date of another citation or other ial reason (as specified)	water the document is take	en sione		
_	O" document referring to an oral disclosure, use, exhibition or other combined with one or more other such disclosure.				
P docu	amont published prior to the international filing date but later than priority date claimed	*&* document member of the s	skilled in the art		
Date of the actual completion of the international search  Date of mailing of the international search report					
21 MARCH		1 6 APR 1997			
Name and mailing address of the ISA/US  Commissioner of Patents and Trademarks  Authorized officer			0.0		
Box PCT Washington,					
-	csimile No. (703) 305-3230 Telephone No. (703) 200 2005				

# INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/01799

	tion). DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to ciatin 140
<b>Y</b>	US 5,472,964 A (YOUNG et al.) 05 December 1995, see column 10, lines 5-14, column 16, lines 3-4, column 67, Example 4B, and column 102, lines 53-61.	1-12
Y,P	US 5,565,473 A (BELLEY et al.) 15 October 1996, see column 8, line 62 - column 9, line 4, column 15 lines 4-6 and column 79, Example 161.	1-12